



LAVE+POUDRE

Code : 130149



Version: 9

Revision: 12/11/2024

Previous revision: 04/03/2021

Date of printing: 12/11/2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER:

LAVE+POUDRE

Code : 130149 UFI: 5G1C-CPPM-9KA9-3CS5

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST:Intended uses (main technical functions): Industrial Professional Consumers

Product for automatic dishwashers.

Sectors of use:

Professional uses (SU22).

Uses advised against:

This product is not recommended for any use or sector of use (industrial, professional or consumer) other than those previously listed as "Intended or identified uses".

Restrictions on manufacture, placing on market and use, according to Annex XVII of Regulation (EC) No. 1907/2006:

Not restricted.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

GEH

Parc d'Activités des Cortots, 12 rue des Cortots - 21121 Fontaine-lès-Dijon FRANCIA

Phone number: +33 (0) 810026826 - www.geh.fr

- E-mail address of the person responsible for the Safety Data Sheet:

geh@geh.fr

1.4 EMERGENCY TELEPHONE NUMBER:

+33 (0) 810026826 8:00-13:00 / 15:00-18:00 h



National Poisons Information Service (NPIS) - In England, Wales or Scotland: dial 111 - In N Ireland: contact your local GP or pharmacist during normal hours.

SECTION 2 : HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

Classification of mixtures is carried out in accordance with the following principles: a) when data (tests) for the classification of mixtures are available, generally is carried out based on these data, b) in the absence of data (tests) for mixtures are generally used interpolation or extrapolation methods of assessing the risk, using the available data for mixtures similarly classified, and c) in the absence of tests and information which would allow to apply interpolation or extrapolation techniques, methods are used to classify risk assessment based on the data of the individual components in the mixture.

Classification in accordance with Regulation (EU) No. 1272/2008~2022/692 (CLP):

DANGER:Skin Corr. 1B:H314|Eye Dam. 1:H318

Danger class	Classification of the mixture	Cat.	Routes of exposure	Target organs	Effects
Physicochemical:					
Not classified					
Human health:	Skin Corr. 1B:H314 c) Eye Dam. 1:H318 c)	Cat.1B Cat.1	Skin Eyes	Skin Eyes	Burns Serious lesions
Environment:					
Not classified					

Full text of hazard statements mentioned is indicated in section 16.

Note: When in section 3 a range of percentages is used, the health and environmental hazards describe the effects of the highest concentration of each component, but below the maximum value.

2.2 LABEL ELEMENTS:

This product is labelled with the signal word DANGER in accordance with Regulation (EU) No. 1272/2008~2022/692 (CLP).

- Hazard statements:

H314 Causes severe skin burns and eye damage.

- Precautionary statements:

P102-P405	Keep out of reach of children. Store locked up.
P280	Wear protective gloves, clothing and eye protection. In case of inadequate ventilation wear respiratory protection.
P363	Wash contaminated clothing before reuse.
P303+P361+P353- P352-P312	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash with plenty of water and soap.. Call a POISON CENTER or doctor if you feel unwell.
P305+P351+P338- P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
P501	Dispose of contents/container to hazardous or special waste collection point.

- Supplementary statements:- Substances that contribute to classification:

Disodium metasilicate pentahydrate

Sodium percarbonate



LAVE+POUDRE

Code : 130149



Version: 9

Revision: 12/11/2024

Previous revision: 04/03/2021

Date of printing: 12/11/2024

2.3

OTHER HAZARDS:

Hazards which do not result in classification but which may contribute to the overall hazards of the mixture:

- Other physicochemical hazards:

No other relevant adverse effects are known.

- Other adverse human health effects:

No other relevant adverse effects are known.

- Other negative environmental effects:

Not applicable (inorganic mixture).

Endocrine disrupting properties:

This product does not contain substances with endocrine disrupting properties identified or under evaluation.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1

SUBSTANCES:

Not applicable (mixture).

3.2

MIXTURES:

This product is a mixture.

Chemical description:

Mixture of chemical substances.

HAZARDOUS INGREDIENTS:

Substances taking part in a percentage higher than the exemption limit:

30 < C < 40 % Sodium carbonate CLP00

CAS: 497-19-8, EC: 207-838-8, REACH: 01-2119485498-19
CLP: Warning: Eye Irrit. 2:H319

5 < C ≤ 10 % Disodium metasilicate pentahydrate CLP00

CAS: 10213-79-3, EC: 229-912-9, REACH: 01-2119449811-37
CLP: Danger: Met. Corr. 1:H290 | Skin Corr. 1B:H314 | Eye Dam. 1:H318 | STOT SE (irrit.) 3:H335

5 < C < 10 % Sodium percarbonate REACH Eye Dam. 1, H318: C ≥ 25 %

CAS: 15630-89-4, EC: 239-707-6, REACH: 01-2119457268-30
CLP: Danger: Ox. Sol. 2:H272 | Acute Tox. (oral) 4:H302 (ATE=1034 mg/kg) | Eye Dam. 1:H318

1 < C < 2 % C9-C11-isodecanol ethoxylated(5)/propoxylated(6) Notified

CAS: 154518-36-2, EC: Polymer, REACH: Exempt (polymer)
CLP: Warning: Skin Irrit. 2:H315 | Eye Irrit. 2:H319

Impurities:

Does not contain other components or impurities which will influence the classification of the product.

Stabilizers:

None.

Reference to other sections:

For more information on hazardous ingredients, see sections 8, 11, 12 and 16.

SUBSTANCES OF VERY HIGH CONCERN (SVHC):

List updated by ECHA on 27/06/2024.

Substances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:

None.

Substances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006:

None.

PERSISTENT, BIOACCUMULABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULABLE VPVB SUBSTANCES:

Does not contain substances that fulfil the PBT/vPvB criteria.

POP substances included in the (EU) REGULATION 2019/1021~2020/784 on persistent organic pollutants:

None.



LAVE+POUDRE

Code : 130149



Version: 9

Revision: 12/11/2024

Previous revision: 04/03/2021

Date of printing: 12/11/2024

SECTION 4: FIRST AID MEASURES

4.1

DESCRIPTION OF FIRST AID MEASURES:

Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Lifeguards should pay attention to self-protection and use the recommended protective equipment if there is a possibility of exposure. Wear protective gloves when administering first aid.

Route of exposure	Symptoms and effects, acute and delayed	Description of first-aid measures
Inhalation:	Inhalation produces burning sensation, coughing, breathlessness and sore throat.	This product is not volatile. As the product is solid, hazard is rather low. Should there be any symptoms, transfer the person affected to the open air.
Skin:	Skin contact causes redness, burns and pain.	Remove immediately contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser.
Eyes:	Contact with the eyes produces redness, pain and serious burns.	Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water for at least 15 minutes, holding the eyelids apart, until the irritation is reduced. If irritation persists, consult a physician.
Ingestion:	If swallowed, causes severe burns on the lips, mouth, throat and oesophagus, with gastric disorders and abdominal pain.	If swallowed, seek medical advice immediately and show container or label. Drink large quantities of water. Do not induce vomiting. Keep the patient at rest.

4.2

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

The main symptoms and effects are indicated in sections 4.1 and 11.1

4.3

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:Notes to physician:

Damage caused by detergents and tensioactives to intestinal mucus is irreversible. Do not induce vomiting. Pump out stomach prior to the addition of dimeticone (antifrothing agent).

Antidotes and contraindications:

Specific antidote not known.

SECTION 5: FIREFIGHTING MEASURES

5.1

EXTINGUISHING MEDIA:

In case of fire in the surroundings, all extinguishing agents are allowed.

5.2

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

As consequence of combustion or thermal decomposition, hazardous products may be produced: carbon monoxide, Carbon dioxide. Exposure to combustion or decomposition products may be a hazard to health.

5.3

ADVICE FOR FIREFIGHTERS:Special protective equipment:

Depending on magnitude of fire, heat-proof protective clothing may be required, appropriate independent breathing apparatus, gloves, protective glasses or face masks and boots. If the fire-proof protective equipment is not available or is not being used, combat fire from a sheltered position or from a safe distance. The standard EN469 provides a basic level of protection for chemical incidents.

Other recommendations:

Cool with water the tanks, cisterns or containers close to sources of heat or fire. Bear in mind the direction of the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses.



LAVE+POUDRE

Code : 130149



Version: 9

Revision: 12/11/2024

Previous revision: 04/03/2021

Date of printing: 12/11/2024

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Avoid direct contact with this product.

6.2 ENVIRONMENTAL PRECAUTIONS:

Avoid contamination of drains, surface or subterranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:

Sweep spilt product. Do not use rags. The peroxide impregnated absorbent must be placed in a safe place and not put into a container.

6.4 REFERENCE TO OTHER SECTIONS:

For contact information in case of emergency, see section 1.

For information on safe handling, see section 7.

For exposure controls and personal protection measures, see section 8.

For waste disposal, follow the recommendations in section 13.

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Comply with the existing legislation on health and safety at work.

- General recommendations:

Handle with care, avoiding any discharge. Do not weight it in the storage area. Avoid friction, rough handling or strong impacts. Avoid any type of leakage or escape. Keep the container tightly closed.

- Recommendations for the prevention of fire and explosion risks:

The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres.

- Recommendations for the prevention of toxicological risks:

Do not eat, drink or smoke while handling. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8.

- Recommendations for the prevention of environmental contamination:

It is not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Forbid the entry to unauthorized persons. Keep out of reach of children. Keep away from sources of heat. Avoid extreme humidity conditions. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. Due to its corrosive properties, extreme precaution in the selection of materials for pumps, packages and lines should be taken. The floor must be waterproof and corrosion resistant. The electrical equipment must be made of non-corrodible materials. For more information, see section 10.

- Class of store:

According to current legislation.

- Maximum storage period:

12 Months.

- Temperature interval:

min:5 °C, max:40 °C (recommended).

- Incompatible materials:

Keep away from acids, oxidizing agents, reducing agents, alkalis, metals, heavy-metal compounds, combustible materials.

- Type of packaging:

According to current legislation.

- Limit quantity (Seveso III): Directive 2012/18/EU:

Not applicable (the classification criteria are not met).

7.3 SPECIFIC END USE(S):

For the use of this product particular recommendations apart from that already indicated are not available.



LAVE+POUDRE

Code : 130149



Version: 9

Revision: 12/11/2024

Previous revision: 04/03/2021

Date of printing: 12/11/2024

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1

CONTROL PARAMETERS:

If a product contains ingredients with exposure limits, may be necessary a personnel monitoring, work place or biological, to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to EN689, EN14042 and EN482 standard concerning methods for assessing the exposure by inhalation to chemical agents, and exposure to chemical and biological agents. Reference should be also made to national guidance documents for methods for the determination of dangerous substances.

- OCCUPATIONAL EXPOSURE LIMIT VALUES (WEL):

Not established

- BIOLOGICAL LIMIT VALUES:

Not established

- DERIVED NO-EFFECT LEVEL (DNEL):

Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances included in REACH. DNEL values may differ from a occupational exposure limit (OEL) for the same chemical. OEL values may come recommended by a particular company, a government regulatory agency or an organization of experts. Although considered protective of health, the OEL values are derived by a process different of REACH.

- DERIVED NO-EFFECT LEVEL, WORKERS:- Systemic effects, acute and chronic:	DNEL Inhalation mg/m3	DNEL Cutaneous mg/kg bw/d	DNEL Oral mg/kg bw/d
C9-C11-isodecanol ethoxylated(5)/propoxylated(6)	- (a)	- (c)	- (a)
Sodium percarbonate	- (a)	- (c)	- (a)
Disodium metasilicate pentahydrate	s/r (a)	6,22 (c)	s/r (a)
Sodium carbonate	- (a)	- (c)	- (a)
- DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic:	DNEL Inhalation mg/m3	DNEL Cutaneous mg/cm2	DNEL Eyes mg/cm2
C9-C11-isodecanol ethoxylated(5)/propoxylated(6)	- (a)	- (a)	- (a)
Sodium percarbonate	- (a)	5 (c)	- (a)
Disodium metasilicate pentahydrate	m/r (a)	m/r (c)	m/r (a)
Sodium carbonate	- (a)	10 (c)	- (a)

- Derived no-effect level, general population:

Not applicable (product for professional or industrial use).

(a) - Acute, short-term exposure, (c) - Chronic, long-term or repeated exposure.

(-) - DNEL not available (without data of registration REACH).

s/r - DNEL not derived (not identified hazard).

m/r - DNEL not derived (medium hazard).

- PREDICTED NO-EFFECT CONCENTRATION (PNEC):

- PREDICTED NO-EFFECT CONCENTRATION, AQUATIC ORGANISMS:- Fresh water, marine water and intermittent release:	PNEC Fresh water mg/l	PNEC Marine mg/l	PNEC Intermittent mg/l
C9-C11-isodecanol ethoxylated(5)/propoxylated(6)	-	-	-
Sodium percarbonate	0.035	0.035	0.035
Disodium metasilicate pentahydrate	7.5	1	7.5
Sodium carbonate	-	-	-
- WASTEWATER TREATMENT PLANTS (STP) AND SEDIMENTS IN FRESH- AND MARINE WATER:	PNEC STP mg/l	PNEC Sediments mg/kg dw/d	PNEC Sediments mg/kg dw/d
C9-C11-isodecanol ethoxylated(5)/propoxylated(6)	-	-	-
Sodium percarbonate	16.24	-	-
Disodium metasilicate pentahydrate	1000	s/r	s/r
Sodium carbonate	-	-	-
- PREDICTED NO-EFFECT CONCENTRATION, TERRESTRIAL ORGANISMS:- Air, soil and effects for predators and humans:	PNEC Air mg/m3	PNEC Soil mg/kg dw/d	PNEC Oral mg/kg dw/d
C9-C11-isodecanol ethoxylated(5)/propoxylated(6)	-	-	-
Sodium percarbonate	-	-	-
Disodium metasilicate pentahydrate	s/r	s/r	n/b
Sodium carbonate	-	-	-

(-) - PNEC not available (without data of registration REACH).

n/b - PNEC not derived (not bioaccumulative potential).

s/r - PNEC not derived (not identified hazard).

8.2

EXPOSURE CONTROLS:ENGINEERING MEASURES:



LAVE+POUDRE

Code : 130149



Version: 9

Revision: 12/11/2024

Previous revision: 04/03/2021

Date of printing: 12/11/2024



Provide adequate cleaning. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction.

- Protection of respiratory system:

Avoid the inhalation of product.

- Protection of eyes and face:

Install water taps, sources or eyewash bottles with clean water close to the working area.

- Protection of hands and skin:

Install water taps or sources with clean water close to the working area. Barrier creams may help to protect the exposed areas of the skin. Barrier creams should not be applied once exposure has occurred.

OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425:

As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE), with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc..), you should consult the informative brochures provided by the manufacturers of PPE.

Mask:	Suitable respiratory protection at low concentrations or short-term incidence:P2-type filter mask (white), ✓ with medium retention ability, for irritant or harmful solid particles or aerosols (EN143), Inward leakage: 8%, Assigned protection factor: up to 10 times TLV. In order to obtain a suitable protection level, the filter class must be selected depending on the type and concentration of the contaminating agents present, in accordance with the specifications supplied by the filter producers. Particle filters must be disposed when you notice an increase in breathing resistance.
Safety goggles:	Safety goggles for chemicals, with suitable lateral protection (EN166). Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.
Face shield:	No.
Gloves:	Neoprene rubber gloves (EN374). There are several factors (for example, temperature), they do in practice the period of use of a protective gloves resistant against chemicals is clearly lower than the established standard EN374. Due to the wide variety of circumstances and possibilities, the instructions/specifications provided by the glove supplier should be taken into account. Use the proper technique of removing gloves (without touching glove's outer surface) to avoid contact of the product with the skin. The gloves should be immediately replaced when any sign of degradation is noted.
Boots:	No.
Apron:	No.
Clothing:	Put away work clothes under control and separately from the rest. Do not take contaminated clothing home. Wash contaminated work clothes before wearing them again.

- Thermal hazards:

Not applicable (the product is handled at room temperature).

ENVIRONMENTAL EXPOSURE CONTROLS:

Avoid any spillage in the environment.

- Spills on the soil:

Prevent contamination of soil.

- Spills in water:

Do not allow to escape into drains, sewers or water courses.

- Water Management Act:

This product does not contain any substance included in the list of priority substances in the field of water policy under Directive 2000/60/EC~2013/39/EU.

- Emissions to the atmosphere:

Not applicable.



LAVE+POUDRE

Code : 130149



Version: 9

Revision: 12/11/2024

Previous revision: 04/03/2021

Date of printing: 12/11/2024

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

Appearance

Physical state: Solid Granular
 Colour: White
 Odour: Characteristic
 Odour threshold: Not available (mixture).

Change of state

Melting point: Not available (mixture).
 Initial boiling point: Not applicable.

- Flammability:

Flashpoint: Not applicable (solid).
 Lower/upper flammability or explosive limits: Not applicable - Not applicable
 Autoignition temperature: Not applicable (do not sustain combustion).

Stability

Decomposition temperature: Not available (technical impossibility to obtain the data).

pH-value

pH: 11,5 ± 0,5 10 g/l at 20°C

- Viscosity:

Kinematic viscosity: Not applicable (solid).

- Solubility(ies):

Solubility in water: Soluble
 Liposolubility: Not applicable (inorganic product).
 Partition coefficient: n-octanol/water: Not applicable (inorganic product).

- Volatility:

Evaporation rate: Not applicable.

Density

Relative density: 1,100 ± 0,1 at 20/4°C Relative water
 Relative vapour density: Not applicable (solid).

Particle characteristics

Particle size: Not available.

- Explosive properties:

Not available.

- Oxidizing properties:

Not classified as oxidizing product.

*Estimated values based on the substances composing the mixture.

9.2

OTHER INFORMATION:Information regarding physical hazard classes

No additional information available.

Other security features:

Nonvolatile:	100,00 * % Weight	1h. 60°C
Active oxygen:	1,08 % O2	

The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the corresponding technical data sheet. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12.



LAVE+POUDRE

Code : 130149



Version: 9

Revision: 12/11/2024

Previous revision: 04/03/2021

Date of printing: 12/11/2024

SECTION 10: STABILITY AND REACTIVITY

10.1	REACTIVITY: <ul style="list-style-type: none"> - <u>Corrosivity to metals:</u> Not available. - <u>Pyrophorical properties:</u> It is not pyrophoric.
10.2	CHEMICAL STABILITY: Stable under recommended storage and handling conditions.
10.3	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with acids, oxidizing agents, reducing agents, alkalis, metals, heavy-metal compounds, combustible materials.
10.4	CONDITIONS TO AVOID: <ul style="list-style-type: none"> - <u>Heat:</u> Keep away from sources of heat. - <u>Light:</u> Not applicable. - <u>Air:</u> The product is not affected by exposure to air, but should not be left the containers open. - <u>Humidity:</u> Avoid extreme humidity conditions. - <u>Pressure:</u> Not relevant. - <u>Shock:</u> The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handling to avoid dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations.
10.5	INCOMPATIBLE MATERIALS: Keep away from acids, oxidizing agents, reducing agents, alkalis, metals, heavy-metal compounds, combustible materials.
10.6	HAZARDOUS DECOMPOSITION PRODUCTS: As consequence of thermal decomposition, hazardous products may be produced: oxygen.

SECTION 11: TOXICOLOGICAL INFORMATION

	No experimental toxicological data on the preparation is available. The toxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EU) No. 1272/2008~2022/692 (CLP).		
11.1	INFORMATION ON HAZARD CLASSES AS DEFINED IN REGULATION (EC) NO 1272/2008 :		
	ACUTE TOXICITY:		
	Dose and lethal concentrations for individual ingredients:	DL50 (OECD401) mg/kg bw Oral	DL50 (OECD402) mg/kg bw Cutaneous
	Sodium percarbonate	1034 Rat	> 2000 Rabbit
	Disodium metasilicate pentahydrate	1500 Rat	> 5000 Rat
	Sodium carbonate	2800 Rat	> 2000 Rabbit
	Estimates of acute toxicity (ATE) for individual ingredients:	ATE mg/kg bw Oral	ATE mg/kg bw Cutaneous
	Sodium percarbonate	1034	-
	Disodium metasilicate pentahydrate	-	-

(*) - Point estimates of acute toxicity corresponding to the classification category (see GHS/CLP Table 3.1.2). These values are designed to be used in the calculation of the ATE for classification of a mixture based on its components and do not represent test results.

(-) - The components that are assumed to have no acute toxicity at the upper threshold of category 4 for the corresponding exposure route are ignored.

- No observed adverse effect level

Not available

- Lowest observed adverse effect level

Not available

INFORMATION ON LIKELY ROUTES OF EXPOSURE: ACUTE TOXICITY:

Routes of exposure	Acute toxicity	Cat.	Main effects, acute and/or delayed	Criteria
Inhalation: Not classified	ATE > 5000 mg/m ³	Not available.	Not classified as a product with acute toxicity if inhaled (based on available data, the classification criteria are not met).	GHS/CLP 3.1.3.6.
Skin: Not classified	ATE > 2000 mg/kg bw	Not available.	Not classified as a product with acute toxicity in contact with skin (based on available data, the classification criteria are not met).	GHS/CLP 3.1.3.6.
Eyes: Not classified	Not available.	-	Not classified as a product with acute toxicity by eye contact (lack of data).	GHS/CLP 1.2.5.



LAVE+POUDRE

Code : 130149



Version: 9

Revision: 12/11/2024

Previous revision: 04/03/2021

Date of printing: 12/11/2024

Ingestion: Not classified	ATE > 5000 mg/kg bw	-	Not classified as a product with acute toxicity if swallowed (based on available data, the classification criteria are not met).	GHS/CLP 3.1.3.6.
------------------------------	---------------------	---	----------------------------------------------------------------------------------------------------------------------------------	------------------

GHS/CLP 3.1.3.6: Classification of mixtures based on ingredients of the mixture (additivity formula).

CORROSION / IRRITATION / SENSITISATION :

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
- Respiratory corrosion/irritation: Not classified	-	-	Not classified as a product corrosive or irritant by inhalation (based on available data, the classification criteria are not met).	GHS/CLP 1.2.6. 3.8.3.4.
- Skin corrosion/irritation:	Skin	Cat.1B	CORROSIVE: Causes severe skin burns.	GHS/CLP 3.2.3.3.
- Serious eye damage/irritation:	Eyes	Cat.1	DAMAGE: Causes serious eye damage.	GHS/CLP 3.3.3.3.
- Respiratory sensitisation: Not classified	-	-	Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met).	GHS/CLP 3.4.3.3.
- Skin sensitisation: Not classified	-	-	Not classified as a product sensitising by skin contact (based on available data, the classification criteria are not met).	GHS/CLP 3.4.3.3.

GHS/CLP 3.2.3.3: Classification of the mixture when data are available for all components or only for some components.

GHS/CLP 3.3.3.3: Classification of the mixture when data are available for all components or only for some components.

GHS/CLP 3.4.3.3: Classification of the mixture when data are available for all components or only for some components.

GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

- ASPIRATION HAZARD:

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
- Aspiration hazard: Not classified	-	-	Not applicable (solid).	GHS/CLP 3.10.3.3.

GHS/CLP 3.10.3.3: Classification of the mixture when data are available for all components or only for some components.

SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):

Not classified as a dangerous product for target organs.

GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

CMR EFFECTS:

- Carcinogenic effects:

It is not considered as a carcinogenic product.

- Genotoxicity:

It is not considered as a mutagenic product.

- Toxicity for reproduction:

Does not harm fertility. Does not harm the unborn child.

- Effects via lactation:

Not classified as a hazardous product for children breast-fed.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE:

Routes of exposure

Not available.

- Short-term exposure:

Causes burns to the skin or eyes by direct contact or to the digestive tract if swallowed. The mists of fine particles are skin and respiratory tract irritants. Causes serious eye damage. Causes skin irritation. Causes serious eye damage.

- Long-term or repeated exposure:

Not available.

INTERACTIVE EFFECTS:

Not available.

INFORMATION ABOUT TOXICOGENETICS, METABOLISM AND DISTRIBUTION:

- Dermal absorption:

Not available.

- Basic toxicokinetics:



LAVE+POUDRE

Code : 130149



Version: 9

Revision: 12/11/2024

Previous revision: 04/03/2021

Date of printing: 12/11/2024

Not available.

ADDITIONAL INFORMATION:

Some organic peroxides will cause serious, irreversible ocular injuries to the cornea, even after brief contact.

11.2

INFORMATION ON OTHER HAZARDS:Endocrine disrupting properties:

This product does not contain substances with endocrine disrupting properties identified or under evaluation.

Other information:

No additional information available.

SECTION 12: ECOLOGICAL INFORMATION

No experimental ecotoxicological data on the preparation as such is available. The ecotoxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EU) No. 1272/2008~2022/692 (CLP).

12.1

TOXICITY:

- Acute toxicity in aquatic environment for individual ingredients	CL50 (OECD 203) mg/l·96hours	CE50 (OECD 202) mg/l·48hours	CE50 (OECD 201) mg/l·72hours
Sodium percarbonate	71 - Fishes	4.9 - Daphniae	7.7 - Algae
Disodium metasilicate pentahydrate	210 - Fishes	1700 - Daphniae	207 - Algae
Sodium carbonate	320 - Fishes	265 - Daphniae	

- No observed effect concentration

Not available

- Lowest observed effect concentration

Not available

ASSESSMENT OF AQUATIC TOXICITY:

Aquatic toxicity	Cat.	Main hazards to the aquatic environment	Criteria
- Acute aquatic toxicity: Not classified	-	Not classified as a hazardous product with acute toxicity to aquatic life (based on available data, the classification criteria are not met).	GHS/CLP 4.1.3.5.5.3.
- Chronic aquatic toxicity:	-	Not classified as a dangerous product with chronic toxicity to aquatic life with long lasting effects (based on available data, the classification criteria are not met).	GHS/CLP 4.1.3.5.5.4.

CLP 4.1.3.5.5.3: Classification of a mixture for acute hazards, based on summation of classified components.

CLP 4.1.3.5.5.4: Classification of a mixture for chronic (long term) hazards, based on summation of classified components.

12.2

PERSISTENCE AND DEGRADABILITY:- Biodegradability:

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation 648/2004/EC on detergents: Ultimate aerobic biodegradation > 60% within 28 days. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

- Hydrolysis:

Not available.

- Photodegradability:

Not available.

12.3

BIOACCUMULATIVE POTENTIAL:

Not available.

Bioaccumulation for individual ingredients	logPow	BCF L/kg	Potential
C9-C11-isodecanol ethoxylated(5)/propoxylated(6)			Not available
Sodium percarbonate			No bioaccumulable
Disodium metasilicate pentahydrate			No bioaccumulable
Sodium carbonate			No bioaccumulable

12.4

MOBILITY IN SOIL:

Not available

12.5

RESULTS OF PBT AND VPVB ASSESSMENT:(Annex XIII of Regulation (EC) no. 1907/2006:)

Not applicable (inorganic mixture).

12.6

ENDOCRINE DISRUPTING PROPERTIES:

This product does not contain substances with endocrine disrupting properties identified or under evaluation.

12.7

OTHER ADVERSE EFFECTS:- Ozone depletion potential:

Not available.

- Photochemical ozone creation potential:



LAVE+POUDRE

Code : 130149



Version: 9

Revision: 12/11/2024

Previous revision: 04/03/2021

Date of printing: 12/11/2024

Not available.

[- Earth global warming potential:](#)

Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 [WASTE TREATMENT METHODS: Directive 2008/98/EC~Regulation \(EU\) no. 1357/2014:](#)

Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recycling. Do not discharge into drains or the environment, dispose at an authorised waste collection point. Waste should be handled and disposed in accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8.

LER code	Description	Type of waste
		Hazardous

[Type of waste according to Regulation \(EU\) No. 1357/2014:](#)

HP 3 Flammable

HP 8 Corrosive

HP 4 Irritant — skin irritation and eye damage

[Disposal of empty containers: Directive 94/62/EC~2015/720/EU, Decision 2000/532/EC~2014/955/EU:](#)

Emptied containers and packaging should be disposed in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of emptying of the same, being the holder of the residue responsible for their classification, in accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself. Never re-use a container which has contained peroxides.

[Procedures for neutralising or destroying the product:](#)

Authorised landfill in accordance with local regulations.

SECTION 14: TRANSPORT INFORMATION

14.1 [UN NUMBER OR ID NUMBER:](#)

3262

14.2 [UN PROPER SHIPPING NAME:](#)

CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Disodium metasilicate pentahydrate)

14.3 [TRANSPORT HAZARD CLASS\(ES\):](#)[Transport by road \(ADR 2023\) and](#)[Transport by rail \(RID 2023\):](#)

- Class: 8
- Packing group: III
- Classification code: C6
- Tunnel restriction code: (E)
- Transport category: 3, max. ADR 1.1.3.6. 1000 K
- Limited quantities: 5 kg (see total exemptions ADR 3.4)
- Transport document: Consignment paper.
- Instructions in writing: ADR 5.4.3.4
- Special provisions: 274

[Transport by sea \(IMDG 41-22\):](#)

- Class: 8
- Packing group: III
- Emergency Sheet (EmS): F-A,S-B
- First Aid Guide (MFAG): 760
- Marine pollutant: No.
- Transport document: Conocimiento de embarque.

[Transport by air \(ICAO/IATA 2021\):](#)

- Class: 8
- Packing group: III
- Transport document: Conocimiento aéreo.

[Transport by inland waterways \(ADN\):](#)

Not available

14.4 [PACKING GROUP:](#)

See section 14.3

14.5 [ENVIRONMENTAL HAZARDS:](#)

Not applicable (not classified as hazardous for the environment).

14.6 [SPECIAL PRECAUTIONS FOR USER:](#)

Ensure that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers that are upright and secure.

14.7 [MARITIME TRANSPORT IN BULK ACCORDING TO IMO INSTRUMENTS:](#)

Not available.



LAVE+POUDRE

Code : 130149



Version: 9

Revision: 12/11/2024

Previous revision: 04/03/2021

Date of printing: 12/11/2024

SECTION 15: REGULATORY INFORMATION

15.1

[SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE:](#)

The regulations applicable to this product generally are listed throughout this Safety Data Sheet.

[Restrictions on manufacture, placing on market and use:](#)

See section 1.2

[Tactile warning of danger:](#)

Not applicable (product for professional or industrial use).

[Child safety protection:](#)

Not applicable (product for professional or industrial use).

[Specific legislation on detergents:](#)

It is applicable the Regulation (EC) No. 648/2004~907/2006 on detergents. Contains: Less than 5%: Non-ionic surfactants, Enzymes, Perfumes. Equal to or greater than 5% but less than 15%: Oxygen-based bleaching agents.

[OTHER REGULATIONS:](#)

In those aspects not considered by the Regulation (EC) No. 648/2004~907/2006 on detergents, it is applicable the Recommendation 89/542/EEC, for the labelling of detergents and cleaning products.

[Control of the risks inherent in major accidents \(Seveso III\):](#)

See section 7.2

[Other local legislations:](#)

The receiver should verify the possible existence of local regulations applicable to the chemical.

15.2

[CHEMICAL SAFETY ASSESSMENT:](#)

A chemical safety assessment has not been carried out for this mixture.

SECTION 16 : OTHER INFORMATION

16.1 [TEXT OF THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3:](#)[Hazard statements according the Regulation \(EU\) No. 1272/2008~2022/692 \(CLP\), Annex III:](#)

H272 May intensify fire: oxidiser. H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

[EVALUATION OF THE INFORMATION ON THE DANGER OF MIXTURES:](#)

See sections 9.1, 11.1 and 12.1.

[ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS:](#)

It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to provide understanding and interpretation of Safety Data Sheets and labelling of products as well.

[MAIN LITERATURE REFERENCES AND SOURCES FOR DATA:](#)

- European Chemicals Agency: ECHA, <http://echa.europa.eu/>
- Access to European Union Law, <http://eur-lex.europa.eu/>
- European agreement on the international carriage of dangerous goods by road, (ADR 2023).
- International Maritime Dangerous Goods Code IMDG including Amendment 41-22 (IMO, 2022).

[ABBREVIATIONS AND ACRONYMS:](#)

List of abbreviations and acronyms that can be used (but not necessarily used) in this Safety Data Sheet:

- REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations.
- CLP: European regulation on Classification, Labelling and Packaging of substances and chemical mixtures.
- EINECS: European Inventory of Existing Commercial Chemical Substances.
- ELINCS: European List of Notified Chemical Substances.
- CAS: Chemical Abstracts Service (Division of the American Chemical Society).
- UVCB: Substances of Unknown or Variable composition, complex reaction products or biological materials.
- SVHC: Substances of Very High Concern.
- PBT: Persistent, bioaccumulable and toxic substances.
- vPvB: Very persistent and very bioaccumulable substances.
- DNEL: Derived No-Effect Level (REACH).
- PNEC: Predicted No-Effect Concentration (REACH).
- LC50: Lethal concentration, 50 percent.
- LD50: Lethal dose, 50 percent.
- UN: United Nations Organisation.
- ADR: European agreement concerning the international carriage of dangerous goods by road.
- RID: Regulations concerning the international transport of dangerous goods by rail.
- IMDG: International Maritime code for Dangerous Goods.
- IATA: International Air Transport Association.
- ICAO: International Civil Aviation Organization.

[SAFETY DATA SHEET REGULATIONS:](#)

Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex of Regulation (EU) No. 2020/878.

[HISTORIC: REVISION:](#)

Version: 8 04/03/2021

Version: 9 12/11/2024

[Changes since previous Safety Data Sheet:](#)

Changes that have been introduced with respect to the previous version due to the structural and content adaptation of the Safety Data Sheet to Regulation (EU) No. 2020/878: All sections.



LAVE+POUDRE

Code : 130149

**Version: 9****Revision: 12/11/2024**

Previous revision: 04/03/2021

Date of printing: 12/11/2024

The information of this Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users" working conditions are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product" s properties.

Safety Data Sheet (SDS) generated with the 6.0.0.182 version of the JMTCHEM software (www.jmtchemsolutions.com).